

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	558	george adj edward.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/05 10:16	
2	BRS	1	(george adj edward.in.) and "20020085558"	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/05 10:16	
3	BRS	3133	370/392.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/08 17:44	
4	BRS	45	\$3modulat\$3 and (modem near relay)and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/08 17:46	
5	BRS	2	370/392.ccls. and (\$3modulat\$3 and (modem near relay)and packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/08 17:49	
6	IS&R	1	("0667896").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2004/04/08 17:49	
7	IS&R	2	("6667896").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2004/04/08 17:50	
8	IS&R	2	("6667986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2004/04/08 17:50	
9	IS&R	2	("5831561").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2004/04/08 17:51	
10	IS&R	2	("5267263").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2004/04/08 17:52	
11	IS&R	2	("4569062").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2004/04/08 17:52	
12	BRS	10	(\$3modulat\$3 and (modem near relay)and packet) and "370"/\$.ccls. and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/08 18:29	
13	BRS	22	(\$3modulat\$3 and (modem near relay)and packet) and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/08 18:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
14	BRS	16	(\$3modulat\$3 and (modem near relay)and packet) and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/08 18:04	
15	IS&R	2	("6023470").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2004/04/09 18:05	
16	IS&R	2	("5790641").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	2004/04/09 18:05	
17	BRS	2	ep-1047231-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/09 18:06	
18	BRS	0	independent adj (connection (setup (set adj up))) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 14:01	
19	BRS	188	independent adj (connection (setup (set adj up))) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 14:02	
20	BRS	127	((independent adj (connection (setup (set adj up))) and modem) and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 14:03	
21	BRS	11	((((independent adj (connection (setup (set adj up))) and modem) and @ad<"20001229") and (full near duplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 14:16	
22	BRS	0	(((((independent adj (connection (setup (set adj up))) and modem) and @ad<"20001229") and (full near duplex)) and (modem with relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 14:04	
23	BRS	0	(((((independent adj (connection (setup (set adj up))) and modem) and @ad<"20001229") and (full near duplex)) and (modem same relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 14:04	
24	BRS	1	(((((independent adj (connection (setup (set adj up))) and modem) and @ad<"20001229") and (full near duplex)) and relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 14:05	
25	BRS	8	((((independent adj (connection (setup (set adj up))) and modem) and @ad<"20001229") and (packet near network)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 14:17	

26	BRS	0	(modem adj driver and (modem near network near driver)) and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 15:47	
----	-----	---	----------------------------------------------------------------------------------	------------------------------------------	------------------	--

	Type	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	3	(modem adj driver and (modem near network near driver)) and @ad<"20002912"	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 15:48	
28	BRS	4	modem adj driver and (modem near network near driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 15:48	
29	BRS	7	modem near network near driver	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 15:48	
30	BRS	6	(modem near network near driver) and @ad<"20002912"	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 15:49	
31	BRS	3	(modem near network near driver) and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 15:51	
32	BRS	6458	(modem adj (data signal message)) ((modem near control) adj (data signal message)) and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 18:23	
33	BRS	4797	S1 and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 18:24	
34	BRS	225	S2 and (packet near network)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 18:24	
35	BRS	5	S3 and ((append\$3 series) adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/04/12 18:41	
36	BRS	1	"v.22" with modem and processor and retransmit\$ same sequenc\$3	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:00	
37	BRS	2386	370/493,522,537.ccls.	US-PGPUB; USPAT; EPO; JPO	2005/03/25 09:36	
38	BRS	73	S37 and (@ad<"20001229" @rlad<"20001229" @rlan<"20001229") and modem and (packet near (network\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO	2005/03/25 13:46	
39	BRS	1610	"370"/\$.ccls. and (@ad<"20001229" @rlad<"20001229" @rlan<"20001229") and modem and (packet near (network\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO	2005/03/25 09:27	

40	BRS	103	agr	US-PGPUB; USPAT; EPO; JPO	2005/01/06 18:26	
----	-----	-----	-----	---------------------------------	------------------	--

	Type	Hits	Search Text	DBs	Time Stamp	Comments
41	BRS	40	S39 and (redundan\$3 near data)	US-PGPUB; USPAT; EPO; JPO	2005/01/06 18:37	
42	BRS	1	S39 and (((redundan\$3 near (data message)) crc) same (packet near loss))	US-PGPUB; USPAT; EPO; JPO	2005/01/06 18:45	
43	BRS	57593	packets and sequence	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:01	
44	BRS	4450	sequence near packets	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:01	
45	BRS	1218	S44 and retransmit\$4	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:01	
46	BRS	774	S45 and frames	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:02	
47	BRS	411	S46 and list	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:03	
48	BRS	251	S47 and loss	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:03	
49	BRS	149	S48 and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:06	
50	BRS	81	S49 and modem	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:06	
51	BRS	37	S50 and (@ad<"20001229" @rlad<"20001229" @rlan<"20001229") and modem and (packet near (network\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:07	
52	BRS	1	S51 and (redundan\$3 near (data message))	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:50	
53	BRS	1	"5822524".pn.	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:42	
54	BRS	1	"6782490".pn.	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:25	
55	BRS	807	370/449.ccls.	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:49	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
56	BRS	4966	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:49	
57	BRS	289	379/93.08.ccls.	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:49	
58	BRS	8	S55 and (@ad<"20001229" @rlad<"20001229" @rlan<"20001229") and modem and (packet near (network\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:50	
59	BRS	118	S56 and (@ad<"20001229" @rlad<"20001229" @rlan<"20001229") and modem and (packet near (network\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:50	
60	BRS	7	S57 and (@ad<"20001229" @rlad<"20001229" @rlan<"20001229") and modem and (packet near (network\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:50	
61	BRS	0	S60 and (redundan\$3 near (data message))	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:51	
62	BRS	1	S58 and (redundan\$3 near (data message))	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:51	
63	BRS	4	S59 and (redundan\$3 near (data message))	US-PGPUB; USPAT; EPO; JPO	2005/01/06 19:51	
64	BRS	603	"370"/\$.ccls. and (@ad<"20001229" @rlad<"20001229" @rlan<"20001229") and modem and (packet near (network\$1 system\$1)) and (time with out)	US-PGPUB; USPAT; EPO; JPO	2005/03/25 09:37	
65	BRS	0	S65 and (redundant with new with data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/25 13:49	
66	BRS	0	S65 and (redundant with new)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/25 09:32	
67	BRS	2	S65 and (redundant with data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/25 09:32	

68	BRS	57	S64 and (prevent with protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/25 09:38	
----	-----	----	---------------------------------	------------------------------------------	------------------	--

	Type	Hits	Search Text	DBs	Time Stamp	Comments
69	BRS	2624	370/492,493,522,537.ccls.	US-PGPUB; USPAT; EPO; JPO	2005/03/25 09:36	
70	BRS	28	S69 and (@ad<"20001229" @rlad<"20001229" @rlan<"20001229") and modem and (packet near (network\$1 system\$1)) and (time with out)	US-PGPUB; USPAT; EPO; JPO	2005/03/25 09:37	
71	BRS	0	S70 and (prevent with protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/25 09:37	
72	BRS	0	S70 and ((timeout (time with out)) with protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/25 09:38	
73	BRS	0	S70 and ((timeout (time with out)) with protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/25 09:39	
74	BRS	59	S64 and ((timeout (time with out)) with protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/25 13:50	
75	BRS	191	(370/282,293,395.52,466,467,52 2,537.ccls. 375/22.ccls.) and (@ad<"20001229" @rlad<"20001229" @rlan<"20001229") and modem and (packet near (network\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO	2005/03/25 13:49	
76	BRS	0	S75 and (redundant with new with data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/25 13:50	
77	BRS	9	S75 and ((timeout (time with out)) with protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/25 13:50	
78	BRS	1	S77 and (redundant with data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	2005/03/25 13:50	